30 th Medical Brigade PAM 1-201 DATE OF INSPECTION COMMAND INSPECTION CHECKLIST				
FUNCTIONAL AREA/SUBORDINATE AREA:	CHECKLIST EFF DA	TE: PAGE		
OMBAT / OPERATIONAL STRESS CONTROL RATING	1 OCTOBER 2004	1 OF 3	3	
	PECTOR'S NAME &	PHONE N	UI	
INICAL OPERATIONS / MENTAL				
ITEM		YES NO N	J A	
TASK: Maintain a combat and operational stress control pro-	gram.			
CONDITIONS : Given the mission of establishing and maintain and operational stress control program.	ining a combat			
STANDARD: IAW the below cited references				
1. REFERENCES:				
a. DA PAM 600-24 Suicide Prevention & Psychological Au	topsy, 30 Sep 88.			
b. GTA 21-3-4 Battle Fatigue - Normal Common Signs: W. & Buddy, June 86.	hat to do for Self			
c. GTA 21-3-5 Battle Fatigue - Warning Signs: Leader Action	ons, June 1994.			
d. GTA 21-3-6 Battle Fatigue – Company Leader Actions & 1994.	revention, June			
e. FM 6-22.5 Combat Stress, June 2000.				
f. FM 8-51 (with Change 1) Combat Stress Control in a Th Operations, 30 Jan 98.	neater of			
g. FM 22-51 Leaders Manual for Combat Stress Control, 2	29 Sep 94.			
h. ARTEP 8-463-30-MTP Mission Training Plan for the Me Company/Detachment, Combat Stress Control, 01 Oct 03	edical			
i. DOD Directive 6490-1 Mental Health Evaluations of Me Armed Forces, 01 Oct 97.	embers of the			
j. DOD Directive 6490-5 Combat Stress Control Programs	s, 23 Feb 99.			
k. USAREUR policy letter #28, Suicide Prevention, dated	. 04 May 03			
2. PURPOSE : To ensure that units have a program to establic combat and operational stress control program.	ish and maintain a			
3. SPECIFIC QUESTIONS:				
a. Are steps taken as part of a risk assessment to prevent, control combat / operational stress in unit personnel <i>before</i> training exercises				

30 th Medical Brigade I COMMAND INSPECTION			DATE OF INSPECT	ION		
FUNCTIONAL AREA/SUBORDINA	ATE AREA:		CHECKLIST EFF DA	ATE:	PAG	E
OMBAT / OPERATIONAL STRESS	S CONTROL RAT	ING	1 OCTOBER 2004	4	2 01	F 3
INSPECTION OFFICE/AGENCY INICAL OPERATIONS / MENTAI	UNIT	INS	SPECTOR'S NAME &	PHO	ONE	NU
	'EM			VEC	NO	NT
				IES	NU	INA
d. Is the suicide prevention trai reported?	ning and attenuar	ice doct	amentea ana			
e. Do field training exercises wi combat / operational stress reactions and be	•					
•						
f. Are unit personnel trained in operational stress reactions?	recognizing and o	OHEFOIH	ng compat /			
g. Are the above references on (References a, f, and h through j ap						
THE FOLLOWING QUESTIONS I CONTROL UNIT ONLY:	PERTAIN TO TH	Е СОМ	BAT STRESS			
a. Does the unit follow a standa (Recommended format is the Comb Activity Recording System [COSC-V	at/Operational St	ress Co	ntrol - Workload and			
b. Does the unit conduct ongoing operational stress control doctrine combat / operational stress control functional areas; and identification responses	(FM 8-51and FM; combat / opera	22-51); itional s	general principles of stress control			
c. Are a minimum of 50% of uni Management?	it personnel traine	ed in Cr	itical Event			
d. Does the unit schedule and c	onduct regular ou	treach	of supported units?			
e. Does the unit have a system is Is there a system for safeguarding transfer of files for ongoing manage	these files?; Is th					
f. Does the unit conduct ongoin clinical skills?	g training which a	ddresse	es the enhancement of			
g. Does the unit support the put certification, within the confines of			onal licensure and/or			
h. Are professional staff creden Soldiers?	tialed before perf	orming	actual care to			
i. Are personnel who require cli	inical supervision	receivii	ng it?			
j. Do all licensed providers have	e current BLS cer	tificatio	n?			

AETV-MB-Form 1-261-Reflected 1-October 2004A - 2

30 th Medical Brigade PAI COMMAND INSPECTION C			DATE OF INSPECT	TION		
UNCTIONAL AREA/SUBORDINATIONBAT / OPERATIONAL STRESS CO	E AREA:	ING	CHECKLIST EFF D 1 OCTOBER 200		PAGI 3 OI	
NSPECTION OFFICE/AGENCY NICAL OPERATIONS / MENTAL	UNIT	INS	SPECTOR'S NAME &	x PH(ONE	NU
ITEN	1	·!		YES	NO	N
NOTES:						
	VERIFICA	TION				
	X		re, Name, Rank, Date			
	X		ture, Name, Rank,			
Pate	-					

30 th Medical Brigade PAM 1-201 DATE OF INSPECTION COMMAND INSPECTION CHECKLIST						
FUNCTIONAL AREA/SUBORDIN	ATE AREA:		CHECKLIST EFF D.	ATE:	PAGI	Ε
UNIT LEVEL PREVENTIVE MI	EDICINE / FS ^{RATIN}	IG	1 OCTOBER 200	4	1 01	F 2
INSPECTION OFFICE/AGENCY	UNIT	IN	SPECTOR'S NAME &	PHO	ONE	NUM
CLINICAL OPERATIONS / PM	[
I	ГЕМ			YES	NO	NA
TASK: Maintain a field sanitation	team program.					
CONDITIONS : Given the mission sanitation team program						
STANDARD: IAW the below cited	references					-
1. REFERENCES:						
a. AR40-5, Preventive Medicin	ne (Oct 99)					
b. DA PAM 40-501, Hearing Co	onservation (Dec 98)					
c. FM 21-10, Field Hygiene an	nd Sanitation					
d. FM 21-10-1, Unit Field Sani	itation Team					
e. TB MED 577, Sanitary Cont (Mar 86)	rol and Surveillance	of Fi	ield Water Supplies			
f. TB MED 530, Occupational a Sanitation (Nov 91)	and Environmental H	ealt	h Food Service			
2. PURPOSE: To ensure that uni sanitation teams IAW all cited refe		rain	ed and equipped field			
3. SPECIFIC QUESTIONS:						
a. Are the above references or	n hand, on order, or r	eadil	ly available?			
b. Does the unit have a field sa requirements for personal hygien water supply, food sanitation and	e, disease control, in		•			
c. Does the appointed unit FS7 must be a NCO?	Γ consist of at least t	wo p	ersonnel, one of which			
d. Has the unit FST been train orders?	ed by Preventive Me	dicir	ne, are they on unit			
e. Does the unit have its critic	al FST equipment on	han	d, is it serviceable?			
f. Does the unit have: AR 40-5, hand?	, Chapter 14, and FM	21-	10, FM 21-10-1 on			
g. Does the unit FST inspect a water trailers) are maintained in a						

30 th Medical Brigade COMMAND INSPECTION			DATE OF INSPECT	ION		
FUNCTIONAL AREA/SUBORDIN	ATE AREA:	<u> </u>	CHECKLIST EFF DA	ATE:	PAG	E
UNIT LEVEL PREVENTIVE ME	EDICINE / FS <mark>RA</mark>	TING	1 OCTOBER 2004	1	2 0	F 2
INSPECTION OFFICE/AGENCY	UNIT	INS	SPECTOR'S NAME &	PHO	ONE	NUM
CLINICAL OPERATIONS / PM						
I	TEM .			YES	NO	NA
i. Does the unit provide docume to protect soldiers against environn		preventiv	ve medicine measures			
j. Does the unit have a system to	o check subordin	ate units?	?			
k. Is a system in place to monito 40-501?	or Hearing Conse	rvation P	rogram per DA Pam			
NOTES:						
						
	VERIFICA	ATION				
	X Unit POC	Signatur	re, Name, Rank, Date			
	X					
Date	inspector	s Signau	ure, Name, Rank,			

30 th Medical Brigade COMMAND INSPECTION		ST		DATE OF INSPECT	ION					
FUNCTIONAL AREA/SUBORDIN			-!	CHECKLIST EFF DA	ATE:	TE: PAGE				
MEDICAL READINES	SS	RATIN	G	1 OCTOBER 2004	4	1 0	F 2			
INSPECTION OFFICE/AGENCY	UNI	UNIT INSPECTOR'S NAME &					NUM	BI		
CLINICAL OPERATIONS										
ľ	ГЕМ				YES	NO	NA			
TASK: Maintain a unit and indivi	dual medical	readine	SS.							
CONDITIONS : Given the mission individual medical readiness prog		ing and 1	nainta	aining a unit and						
STANDARD : IAW the below cited	references									
1. REFERENCES:										
a. AR40-35, Dental Readiness 04)	and Commu	nity Oral	Healt	th Protection (Sep						
b. AR 40-501, Standards of Me	edical Fitnes	s (Apr 04	.)							
c. AR 40-562, Immunization Re	equirements	and Pro	cedure	es (Nov 95)						
d. AR 220-1, Unit Status Repo	rting (Jun 03)								
e. AR 600-60, Physical Perform	nance Evalua	ation Sys	tem (1	May 02)						
f. AR 600-63, Army Health Pro	gram (Apr 9	6)								
g. DoD Instructions 6490-3 Im Surveillance for Deployments	plementation	n and Ap	plicat	ion of Joint Medical						
h. DoD Directive 6490-2 Joint	Medical Sur	veillance	, 30 A	ugust 1997						
i. Headquarters, Department of DD Form 2766 and DD Form 2766)-99-1	, subject: The use of						
j. Joint Staff memorandum, MG Readiness, 4 December 1998	CM-251-98, I	Deploym	ent He	ealth Surveillance						
k. USAREUR Regulation 525-1	l, USAREUR	Deployn	nent							
l. USAREUR Regulation 600-8 (Oct 02)	-101, USARI	EUR Solo	ier Re	eadiness Program						
m. US Army Anthrax Vaccine I	e Immunization Program (AVIP), dtd 29 Apr 1998									
n. Expansion of Force Health I Programs for DoD Personnel, dtd	Protection Anthrax and Smallpox Immunization 28 Jun 2004									
o. Resumption of Anthrax Vacc 28 Jul 04.	inations for Personnel Previously Deferred, dtd									
2. PURPOSE: To ensure that un readiness IAW with sited regulation	at units are maintaining individual and unit medical									
AETV-MB Form 1-201-R dated 1 Oc		- 6								

30 th Medical Brigade COMMAND INSPECTION				DATE OF INSPECT	ION		
FUNCTIONAL AREA/SUBORDIN			· C	CHECKLIST EFF DA			
MEDICAL READINES	SS	RATIN	G	1 OCTOBER 2004	4	2 OF	7 2
INSPECTION OFFICE/AGENCY	UNI	T	INS	SPECTOR'S NAME &	PHO)NE	NUME
CLINICAL OPERATIONS							
Γ	ГЕМ				YES	NO	NA
3. SPECIFIC QUESTIONS:							
a. Are the above references on l	hand, on ord	er, or rea	dily a	available?			
b. Does the command have an Sunits' conduct of solider readiness (PDP)?							
c. Does the command verify the Assessment (DD Form 2795) and Po 2796) for each soldier upon deploye	ost-deployme	ent Healt					
d. Does command have a system Anthrax Vaccine Immunization Prog			soldi	ers under the			
e. Does the command have a systof subordinate units?	stem or proc	edures to	o mor	nitor the Oral Health			
f. Does the command ensure the factor of "3" or "4" are entered into		t physica	l prof	îles with a numerical			
g. Does the command have a sy soldier non-deployable?	stem to repo	ort physic	al pro	ofiles that render a			
h. Does the unit have a minimum and write access to MEDPROS?	m of 2 MEDI	PROS trai	ned p	personnel with read			
i. Does the unit have a system to and/or maintenance concerns for po- Soldier nondeployable?							
NOTES:							
		IFICATIO	N				
	x Unit x	POC Sign	natur	e, Name, Rank, Date			

30 th Medical Brigade PAM 1-20 COMMAND INSPECTION CHECK		Т		DATE OF INSPECT	ION			
FUNCTIONAL AREA/SUBORDINATE AREA	۱:		_	CHECKLIST EFF DA	ATE:	PAG	E	
NURSING		RATIN	G	1 OCTOBER 2004	4	F 7		
INSPECTION OFFICE/AGENCY UN	UNIT INSPECTOR'S NAME &				PHO	NUM	IBI	
CLINICAL OPERATIONS / CN								
ITEM					YES	NO	NA	
TASK: Maintain a unit and individual medic	al r	eadine	SS.					
CONDITIONS: Given the mission of establishindividual medical readiness program	shin	ıg and ı	nainta	aining a unit and				
STANDARD: IAW the below cited reference	S							
1. REFERENCES:								
a. AR 40-1 Composition, Mission, and Fr Department 1 July 1983	ınct	tions of	the A	army Medical				
b. AR 40-13 Medical SupportNuclear/C February 1985	hen	nical A	ccideı	nts and Incidents 1				
c. AR 40-3 Medical, Dental, and Veterina	ry (Care 12	2 Nov	ember 2002				
d. AR 40-5 Preventive Medicine 15 Octo	ber	1990						
e. AR 40-407 Nursing Records and Repo	rts	15 Aug	ust 1	991				
f. AR 40-535 Worldwide Aeromedical Ev	acu	ation 1	0 May	y 1979				
g. AR 40-562 Immunizations and Chemo	pro	phylaxi	is1 No	ovember 95				
h. AR 40-61 Medical Logistics Policies a	nd I	Procedi	ıres 2	5 January 1995				
i. AR 40-66 Medical Record Administrat 20 July 2004	ion	and He	alth (Care Documentation				
j. AR 40-68 Clinical Quality Managemen	t 26	6 Febru	ary 20	004				
k. AR 190-51 Security of Unclassified Ar Nonsensitive) September 1993	ny l	Propert	y (Se	nsitive and				
l. AR 350-1 Army Training and Education	9 /	April 20	003					
m. AR 601-142 Army Medical Department Professional Filler System 23 June 2004								
n. AR 611-1 Military Occupational Classi Implementation 30 September 1997	fica	tion St	ructui	re Development and				
o. FM 402 Force Health Protection in a 2004	Glo	obal En	viron	ment 13 February				
p. FM 4-02.6 The Medical Company - TAETV-MEAUGUST 2002 - R dated 1 October 2004			hniqu	es. and Procedures 1	<u> </u>			

30 th Medical Brigade COMMAND INSPECTION		ST	DATE OF INSPECTION					
FUNCTIONAL AREA/SUBORDIN				CHECKLIST EFF DA	ATE:	PAG	E	
NURSING		RATIN	IG	1 OCTOBER 200	4	2 0	F 7	
INSPECTION OFFICE/AGENCY	UNI	T	INS	SPECTOR'S NAME &	PHO	ONE	NUM	
CLINICAL OPERATIONS / C	J				1	ı		
IT	ГЕМ				YES	NO	NA	
r. FM 4-02.16 Army Medical Infe Procedures 22 August 2003	ormation Ma	anageme	nt Tac	ctics, Techniques and				
s. FM 4-02.19 Dental Service St 2001	ıpport In a T	heater o	f Ope	rations, 1 March				
t. FM 4-02.24 Area Support Med Procedures, 28 August 2003	dical Battalio	on Tactio	s, Tec	hniques, and				
u. FM 4-02.505 Army Medical F	ield Feeding	J Operati	ons, 2	29 April 2003				
v. FM 4-25.11 First Aid for Sold	iers, 23 Dec	ember 20	002					
w. FM 4-25.12 Unit Field Sanita	tion Team, 2	25 Januai	y 200	2				
x. FM 8-9 NATO Handbook on t Operations, 01 February 1996	the Medical	Aspects	of NB	C Defense				
y. FM 8-10-5 Brigade and Division and Procedures, 10 June 1991	on Surgeon's	s Handb	ook Ta	actics, Techniques,				
z. FM 8-10-6 Medical Evacuatio Techniques, and Procedures, 14 Apr		er of Ope	eratio	ns, Tactics,				
aa. FM 8-10-9 Combat Health L Techniques, and Procedures, 03 Oc			of Op	erations Tactics,				
bb. FM 8-10-14 Employment of Techniques, and Procedures, 29 De			Hosp	ital Tactics,				
cc. FM 8-10-25 Employment of and Procedures, 30 September 199		rgical Tea	ams Ta	actics, Techniques,				
dd. FM 8-42 Combat Health Sup Operations, 27 October 1997	port in Stat	oility Ope	eratio	ns and Support				
ee. FM 8-51 Combat Stress Con Techniques, and Procedures, 29 Sep)perat	cions Tactics,				
ff. FM 8-55 Planning for Health	Service Sup	port, 09	Septe	mber 1994				
gg. FM 8-285 Treatment of Che Military Chemical Injuries, 22 Dece		Casualti	es and	d Conventional				
hh. FM 21-10 Field Hygiene and	l Sanitation,	21 June	2000					
ii. FM 22-51 Leader's Manual fo	or Combat S	tress Coi	ntrol,	29 September 1994				

FUNCTIONAL AREA/SUBORDINATE AREA: NURSING INSPECTION OFFICE/AGENCY CLINICAL OPERATIONS / CN ITEM REFERENCE MATERIALS AND PUBLICATIONS a. Are the above Army Regulations and Field Manuals on hand, current, complete, and available for review? b. Is the medical reference library current? c. Is the Dept of Nursing SOP manual complete? 1. Does it include a Chain of Command and Nursing personnel actions; 2. A Nursing MASCAL plan; 3. Administration of medication; 4. Work/rest cycle policy/plan for nursing personnel 5. Ward specific work and care guidelines (ICU/ICW/EMT); 6. Central Material Admin Policies & Procedures Sterilizer operation & safety Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PRESSURE CMS work flow pattern CMS cleaning procedures & solution used Instrument set cards listing contents of sets Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization for "bad" loads Sterilizer recorder charts Load control number calculation Expiration date calculation Use of internal & external sterilization Guidelines for what can be safely steam sterilized d. Have all nursing SOPs been reviewed and updated, at least annually? e. Is the Hospital Formulary complete and up to date?	30 th Medical Brigade PAM 1-20 COMMAND INSPECTION CHECK		ST		DATE OF INSPECT	ON			
INSPECTION OFFICE/AGENCY CLINICAL OPERATIONS / CN ITEM VES NO NA REFERENCE MATERIALS AND PUBLICATIONS a. Are the above Army Regulations and Field Manuals on hand, current, complete, and available for review? b. Is the medical reference library current? c. Is the Dept of Nursing SOP manual complete? 1. Does it include a Chain of Command and Nursing personnel actions; 2. A Nursing MASCAL plan; 3. Administration of medication; 4. Work/rest cycle policy/plan for nursing personnel 5. Ward specific work and care guidelines (ICU/ICW/EMT); 6. Central Material Admin Policies & Procedures Sterilizer operation & safety Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PRESSURE CMS work flow pattern CMS cleaning procedures & solution used Instrument set cards listing contents of sets Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization log book recording Recall system for "bad" loads Sterilizer recorder charts Load control number calculation Expiration date calculation Use of internal & external sterilization Guidelines for what can be safely steam sterilized d. Have all nursing SOPs been reviewed and updated, at least annually?			<u> </u>		CHECKLIST EFF DA	TE:	PAG	E	
TIEM PERFERENCE MATERIALS AND PUBLICATIONS a. Are the above Army Regulations and Field Manuals on hand, current, complete, and available for review? b. Is the medical reference library current? c. Is the Dept of Nursing SOP manual complete? 1. Does it include a Chain of Command and Nursing personnel actions; 2. A Nursing MASCAL plan; 3. Administration of medication; 4. Work/rest cycle policy/plan for nursing personnel 5. Ward specific work and care guidelines (ICU/ICW/EMT); 6. Central Material Admin Policies & Procedures Sterilizer operation & safety Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PRESSURE CMS work flow pattern CMS cleaning procedures & solution used Instrument set cards listing contents of sets Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization log book recording Recall system for "bad" loads Sterilizer recorder charts Load control number calculation Expiration date calculation Use of internal & external sterilization Guidelines for what can be safely steam sterilized d. Have all nursing SOPs been reviewed and updated, at least annually?	NURSING		RATIN	IG	1 OCTOBER 2004	Į.	3 O	F 7	
TIEM PERFERENCE MATERIALS AND PUBLICATIONS a. Are the above Army Regulations and Field Manuals on hand, current, complete, and available for review? b. Is the medical reference library current? c. Is the Dept of Nursing SOP manual complete? 1. Does it include a Chain of Command and Nursing personnel actions; 2. A Nursing MASCAL plan; 3. Administration of medication; 4. Work/rest cycle policy/plan for nursing personnel 5. Ward specific work and care guidelines (ICU/ICW/EMT); 6. Central Material Admin Policies & Procedures Sterilizer operation & safety Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PRESSURE CMS work flow pattern CMS cleaning procedures & solution used Instrument set cards listing contents of sets Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization log book recording Recall system for "bad" loads Sterilizer recorder charts Load control number calculation Expiration date calculation Use of internal & external sterilization Guidelines for what can be safely steam sterilized d. Have all nursing SOPs been reviewed and updated, at least annually?	INSPECTION OFFICE/AGENCY U	NI	T	INS	 SPECTOR'S NAME &	PHC	NF	NILIN	VRI
REFERENCE MATERIALS AND PUBLICATIONS a. Are the above Army Regulations and Field Manuals on hand, current, complete, and available for review? b. Is the medical reference library current? c. Is the Dept of Nursing SOP manual complete? 1. Does it include a Chain of Command and Nursing personnel actions; 2. A Nursing MASCAL plan; 3. Administration of medication; 4. Work/rest cycle policy/plan for nursing personnel 5. Ward specific work and care guidelines (ICU/ICW/EMT); 6. Central Material Admin Policies & Procedures Sterilizer operation & safety Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PRESSURE CMS work flow pattern CMS cleaning procedures & solution used Instrument set cards listing contents of sets Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization log book recording Recall system for "bad" loads Sterilizer recorder charts Load control number calculation Expiration date calculation Use of internal & external sterilization Guidelines for what can be safely steam sterilized d. Have all nursing SOPs been reviewed and updated, at least annually?			-	1140	record were a).\L		
a. Are the above Army Regulations and Field Manuals on hand, current, complete, and available for review? b. Is the medical reference library current? c. Is the Dept of Nursing SOP manual complete? 1. Does it include a Chain of Command and Nursing personnel actions; 2. A Nursing MASCAL plan; 3. Administration of medication; 4. Work/rest cycle policy/plan for nursing personnel 5. Ward specific work and care guidelines (ICU/ICW/EMT); 6. Central Material Admin Policies & Procedures Sterilizer operation & safety Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PRESSURE CMS work flow pattern CMS cleaning procedures & solution used Instrument set cards listing contents of sets Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization log book recording Recall system for "bad" loads Sterilizer recorder charts Load control number calculation Expiration date calculation Use of internal & external sterilization Guidelines for what can be safely steam sterilized d. Have all nursing SOPs been reviewed and updated, at least annually?	ITEM					YES	NO	NA	
complete, and available for review? b. Is the medical reference library current? c. Is the Dept of Nursing SOP manual complete? 1. Does it include a Chain of Command and Nursing personnel actions; 2. A Nursing MASCAL plan; 3. Administration of medication; 4. Work/rest cycle policy/plan for nursing personnel 5. Ward specific work and care guidelines (ICU/ICW/EMT); 6. Central Material Admin Policies & Procedures Sterilizer operation & safety Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PRESSURE CMS work flow pattern CMS cleaning procedures & solution used Instrument set cards listing contents of sets Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization log book recording Recall system for "bad" loads Sterilizer recorder charts Load control number calculation Expiration date calculation Use of internal & external sterilization Guidelines for what can be safely steam sterilized d. Have all nursing SOPs been reviewed and updated, at least annually?	REFERENCE MATERIALS AND PUBLICAT	ΓΙ(ONS						
c. Is the Dept of Nursing SOP manual complete? 1. Does it include a Chain of Command and Nursing personnel actions; 2. A Nursing MASCAL plan; 3. Administration of medication; 4. Work/rest cycle policy/plan for nursing personnel 5. Ward specific work and care guidelines (ICU/ICW/EMT); 6. Central Material Admin Policies & Procedures Sterilizer operation & safety Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PRESSURE CMS work flow pattern CMS cleaning procedures & solution used Instrument set cards listing contents of sets Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization log book recording Recall system for "bad" loads Sterilizer recorder charts Load control number calculation Expiration date calculation Use of internal & external sterilization Guidelines for what can be safely steam sterilized d. Have all nursing SOPs been reviewed and updated, at least annually?	complete, and available for	iel	d Manua	ls on	hand, current,				
1. Does it include a Chain of Command and Nursing personnel actions; 2. A Nursing MASCAL plan; 3. Administration of medication; 4. Work/rest cycle policy/plan for nursing personnel 5. Ward specific work and care guidelines (ICU/ICW/EMT); 6. Central Material Admin Policies & Procedures Sterilizer operation & safety Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PRESSURE CMS work flow pattern CMS cleaning procedures & solution used Instrument set cards listing contents of sets Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization log book recording Recall system for "bad" loads Sterilizer recorder charts Load control number calculation Expiration date calculation Use of internal & external sterilization Guidelines for what can be safely steam sterilized d. Have all nursing SOPs been reviewed and updated, at least annually?	b. Is the medical reference library curren	t?							
2. A Nursing MASCAL plan; 3. Administration of medication; 4. Work/rest cycle policy/plan for nursing personnel 5. Ward specific work and care guidelines (ICU/ICW/EMT); 6. Central Material Admin Policies & Procedures Sterilizer operation & safety Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PRESSURE CMS work flow pattern CMS cleaning procedures & solution used Instrument set cards listing contents of sets Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization log book recording Recall system for "bad" loads Sterilizer recorder charts Load control number calculation Expiration date calculation Use of internal & external sterilization Guidelines for what can be safely steam sterilized d. Have all nursing SOPs been reviewed and updated, at least annually?	c. Is the Dept of Nursing SOP manual con	ıpl	lete?						
3. Administration of medication; 4. Work/rest cycle policy/plan for nursing personnel 5. Ward specific work and care guidelines (ICU/ICW/EMT); 6. Central Material Admin Policies & Procedures Sterilizer operation & safety Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PRESSURE CMS work flow pattern CMS cleaning procedures & solution used Instrument set cards listing contents of sets Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization log book recording Recall system for "bad" loads Sterilizer recorder charts Load control number calculation Expiration date calculation Use of internal & external sterilization Guidelines for what can be safely steam sterilized d. Have all nursing SOPs been reviewed and updated, at least annually?	1. Does it include a Chain of Command	l a:	nd Nurs	ing pe	ersonnel actions;				
4. Work/rest cycle policy/plan for nursing personnel 5. Ward specific work and care guidelines (ICU/ICW/EMT); 6. Central Material Admin Policies & Procedures Sterilizer operation & safety Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PRESSURE CMS work flow pattern CMS cleaning procedures & solution used Instrument set cards listing contents of sets Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization log book recording Recall system for "bad" loads Sterilizer recorder charts Load control number calculation Expiration date calculation Use of internal & external sterilization Guidelines for what can be safely steam sterilized d. Have all nursing SOPs been reviewed and updated, at least annually?	2. A Nursing MASCAL plan;								
5. Ward specific work and care guidelines (ICU/ICW/EMT); 6. Central Material Admin Policies & Procedures Sterilizer operation & safety Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PRESSURE CMS work flow pattern CMS cleaning procedures & solution used Instrument set cards listing contents of sets Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization log book recording Recall system for "bad" loads Sterilizer recorder charts Load control number calculation Expiration date calculation Use of internal & external sterilization Guidelines for what can be safely steam sterilized d. Have all nursing SOPs been reviewed and updated, at least annually?	3. Administration of medication;								
Sterilizer operation & safety Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PRESSURE CMS work flow pattern CMS cleaning procedures & solution used Instrument set cards listing contents of sets Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization log book recording Recall system for "bad" loads Sterilizer recorder charts Load control number calculation Expiration date calculation Use of internal & external sterilization Guidelines for what can be safely steam sterilized d. Have all nursing SOPs been reviewed and updated, at least annually?	4. Work/rest cycle policy/plan for nurs	ng	j person	nel					
Sterilizer operation & safety Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PRESSURE CMS work flow pattern CMS cleaning procedures & solution used Instrument set cards listing contents of sets Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization log book recording Recall system for "bad" loads Sterilizer recorder charts Load control number calculation Expiration date calculation Use of internal & external sterilization Guidelines for what can be safely steam sterilized d. Have all nursing SOPs been reviewed and updated, at least annually?	5. Ward specific work and care guideli	ne	s (ICU/I	CW/EI	MT);				
Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PRESSURE CMS work flow pattern CMS cleaning procedures & solution used Instrument set cards listing contents of sets Sterilization support in event of sterilizer shutdown Quality control measure guidelines Spore-Strip Sterilization log book recording Recall system for "bad" loads Sterilizer recorder charts Load control number calculation Expiration date calculation Use of internal & external sterilization Guidelines for what can be safely steam sterilized d. Have all nursing SOPs been reviewed and updated, at least annually?	6. Central Material Admin Policies & F	ro	cedures						
annually?	Sterilizer cleaning procedures Sterilizer setting for: TIME, TEMP, PF CMS work flow pattern CMS cleaning procedures & solution of the set cards listing contents of the set cards listen listing contents of the set cards listing contents of the s	use of s zer m :	ed sets r shutdo sterilize	d					
e. Is the Hospital Formulary complete and up to date?		lev	ved and	updat	ed, at least				
	e. Is the Hospital Formulary comp	eto	e and up	to da	ite?				

AETV-MB Form 1-201-R dated 1 October 2004A - 10

30 th Medical Brigade COMMAND INSPECTION				DATE OF INSPECT	ION			
FUNCTIONAL AREA/SUBORDIN			<u> </u>	CHECKLIST EFF DA	ATE:	PAG	E	İ
NURSING		RATIN	G	1 OCTOBER 2004	4	F 7		
INSPECTION OFFICE/AGENCY	UNI	T	INS	PECTOR'S NAME &	PHO	ONE	NUI	1B1
CLINICAL OPERATIONS / C	J							
rı	ГЕМ				YES	NO	NA	
f. Do personnel know location, pmanuals?	ourpose and	contents	of po	licy & procedure				
g. Is there an established method change of policy?	l of informin	g person	nel w	hen there is a				
NURSING ADMINISTRATION	ACTIVITIES	8						
a. Is there a Chain of Command f	for Nursing?							
b. Is there a current organization	chart?							
c. Can personnel identify their ra	ter / SR?							
d. Is there documentation that personnel on a regular basis (mar			ıg was	s provided to all				
e. Are personnel evaluations don	e annually?							
f. Is current licensure data maint	ained on all	register	ed nur	rses & 91W?				
g. Are personnel evaluations don	e annually?							
h. Is current licensure data main	tained on all	register	ed nu	rses & 91W?				
i. Does the unit have a current PI	ROFIS roste	r? (AR 60)1-142	2)				
j. Are PROFIS personnel included	d in unit trai	ning and	traini	ing is documented?				
k. Is there a method of obtaining	PROFIS cre	dentialir	g if n	eeded?				
l. Are nursing staff meetings held	l & minutes	kept & a	n atte	ndance roster?				
EDUCATION/TRAINING (AR	350-1)							
a. Are training programs availabl	e for nursin	g person	nel?					
b. Is there a Competency Based (validated?	Orientation ((CBO) pr	ogran	n available and				
c. Is there documentation of active the duties of the personnel?	ve in-service	training	progi	rams, geared toward				
(1) Is there documentation of	required anı	nual traii	ning?					
(2) BCLS								
(3) Safety AETV-MB Form 1-201-R dated 1 Oc								

30 th Medical Brigade COMMAND INSPECTIO			DATE OF INSPECTION				
FUNCTIONAL AREA/SUBORDIN				CHECKLIST EFF D	ATE:	PAGI	Е
NURSING		RATIN	G	1 OCTOBER 200	4	5 OI	· 7
INSPECTION OFFICE/AGENCY	UNI	T	IN	SPECTOR'S NAME &	k PHO	ONE	NUMB
CLINICAL OPERATIONS / CI	N				1	ı ı	
Γ	ГЕМ				YES	NO	NA
d. Are six-sided folders kept on	all nursing p	personne	l? (o	fficer & enlisted)			
e. Is there a system of document attends MPT annually?	itation ensur	ring each	91 (CMF personnel			
f. Are evaluations/critiques, & t maintained at the unit?	est scores oı	n soldiers	reti	urning from MPT			
g. Are MPT results being used t task level?	to plan traini	ng on an	indi	ividual and collective			
h. Is there a system documenting	ng which solo	diers hav	e att	tended & completed:			
(1) EFMB Course							
(2) Combat Life Saver's Cou	rse						
(3) EMT Course							
(4) PHTLS							
(5) TNCC							
(6) ACLS							
(7) CEU/CMEs							
(8) SACMS-VT							
(9) SIMMAN train the traine	r						
CERTIFICATION (AR 611-1)							
a. Are enlisted personnel certifi beyond those listed for their MOS in AR 611-1?	ed (scope of	practice) for	duties performed			
b. Does the unit's certification p	program mee	et the foll	owir	ng requirements:			
(1) Instructions listing all re- or task i.e., CMS, Casting Allergy/Immunization?	quirements t	co becom	e cei	rtified for each duty			
(2) Proof of training recorde	d to meet all	the requ	iiren	nents?			
(3) An individual scope of pr completed?	actice for ea	ch area v	vher	re training was			
AETV-MB Fortification Redated in Aut	tabor 200M	. 19 ·					

30 th Medical Brigade I COMMAND INSPECTION		ST		DATE OF INSPECT	ION			
UNCTIONAL AREA/SUBORDINATE AREA: RATING CHECKLIST EN						PAG	E	Ì
NURSING		RATIN	IG	1 OCTOBER 2004	4	6 O	F 7	
INSPECTION OFFICE/AGENCY	UNI	T	INS	SPECTOR'S NAME &	PHO	ONE	NUI	1B1
CLINICAL OPERATIONS / CN								
IT	EM				YES	NO	NA	
e. Is there a system documenting	g for enliste	d staff o	n:					
(1) IV Certification?	(1) IV Certification?							
(2) Suturing certification?								
(3) CMS, Casting, & Immuniz	ation certifi	cation?						
(4) Oxygen Therapy Certificat	tion?							
f. Are certification & documental updated at least annually?	tion of train	ing mair	ntaine	d, reviewed, and				
MAINTENANCE OF NARCOTICS AR 40-61, AR 190-51)	MAINTENANCE OF NARCOTICS & CONTROLLED SUBSTANCES (AR 40-3, AR 40-61, AR							
a. Is there safe administration & 51?	control of r	nedicati	ons IA	W AR 40-3, AR 190-				
b. Are narcotics & controlled sub	ostances sto	red in a	doubl	le locked box?				
c. Is a register maintained IAW A	AR 40-3?							
INFECTION CONTROL (AR 40-5)								
a. Is the infection control SOP av	ailable & u	pdated a	ınnual	lly?				
b. Is there an Infection Control I in-service for all personnel?	n-service Re	ecord re	flectin	g at least an annual				
c. Is there documentation that al control procedures for their work area & the hospital?	l new perso	onnel are	orien	ated to infection				
STAFF ACTIONS								
a. Is the Chief Nurse/DON fully : Activities?	involved in	the plan	ning [Deployment				
(1) Set-up, Site Selection, Lay	(1) Set-up, Site Selection, Layout							
(2) Mission Statement / Focus	3							
(3) MOS/AOC Selection								
AETV-MB Formhald/Sudated 1 Out	<u>ober2004</u>	+13						ı

30 th Medical Brigade I COMMAND INSPECTION				DATE OF INSPECT	ION		
FUNCTIONAL AREA/SUBORDINA			JG	CHECKLIST EFF DA			
NURSING		ICAI I		1 OCTOBER 2004	4	7 O	F 7
INSPECTION OFFICE/AGENCY	UNI	T	INS	SPECTOR'S NAME &	PHO	ONE	NUN
CLINICAL OPERATIONS / CN							
IT	EM				YES	NO	NA
(6) Included in the Advance p	arty						
(7) Multi-National Care Provi	sion / Polici	es					
b. Is the Chief Nurse/DON fully in Plan?	involved in	developr	nent o	of the unit Training			
NOTES:							
	VER	IFICATIO)N				
	X						
		POC Sig	natur	re, Name, Rank, Date			
	X	octor's S	ianatı	 ure, Name, Rank,			
Date	шър	30101 8 3	ignati	ure, Name, Namk,			

30 th Medical Brigade COMMAND INSPECTION				DATE OF INSPECT	ION		
FUNCTIONAL AREA/SUBORDIN	ATE AREA:			CHECKLIST EFF D			
COMBAT LIFESAVER PROC	GRAM	RATIN	G	1 OCTOBER 200	4 -	1 OF	2
INSPECTION OFFICE/AGENCY	UNI	T	INS	SPECTOR'S NAME &	PHO	ONE	NUM
CLINICAL OPERATIONS							
I	ГЕМ				YES	NO	NA
TASK: Maintain Combat Lifesaver	Program.						
CONDITIONS : Given the mission Lifesaver Training Program	of establish	ing and r	naint	aining a unit Combat			
STANDARDS: IAW the below cite	d references	3					
1. REFERENCES:							
a. AR 40-5, Preventive Medicine	e, October 1	999					
b. AR 40-61, Medical Logistics	Policies and	Procedu	res				
c. USAREUR Reg 350-1, USAR	EUR Trainin	g Progra	m				
d. FM 21-10, Field Hygiene an	d Sanitation	, 21 June	2000)			
e. FM 4-25.11, First Aid. 15 Jul	y 2004						
f. V Corps Policy Memorandum the Combat Lifesaver (CLS) Medical Equipment Set (ME		Disciplii	ne an	d Accountability of			
2. PURPOSE: To assess the effect Program	tiveness of t	the units	Coml	oat Lifesaver			
3. SPECIFIC QUESTIONS:							
a. Are the above references on	hand, on or	der, or re	adily	available?			
b. Does the unit have a SOP or procedures and assigning responsibilities for:	policy on co	mbat life	saveı	rs establishing			
(1) Designating, training, and utilizing the number of CLS personnel as designated by the command?							
(2) Documenting, tracking, a recertification as required?	and monitori	ing CLS t	raini	ng and annual			
(3) Requesting, inventorying bags.	g, securing, ı	maintaini	ng, a	nd resupplying CLS			
(4) Maintaining formal acco	-		ng pr	oper supply			

30 th Medical Brigade COMMAND INSPECTION				DATE OF INSPECT	ION		
FUNCTIONAL AREA/SUBORDIN				CHECKLIST EFF DA	TE:	PAGI	E
COMBAT LIFESAVER PROC	GRAM	RATIN	IG	1 OCTOBER 2004	1 2	2 OF	2
INSPECTION OFFICE/AGENCY	UNI	T	INS	PECTOR'S NAME &	PHO	ONE	NUM
CLINICAL OPERATIONS							
	ГЕМ				YES	NO	NA
d. Is there a system to ensure a properly secured/stored when not deployed? NOTE: Atrop issue CLS bags. These items are required only during for proper storage and security when the unit is not deplote. e. Are the expirable items in the days of the expiration date? (Para 5-6a3b, AR 40-61) f. Is quality control information and dated medical materiel. g. Does the unit maintain a current Lifesaver bag? i. Are the Combat Lifesaver bag requisitioned? k. Are all Combat Lifesaver bag environment as much as positioning and or air-conditioning.	pine and Diazing actual delayed. The Combat lift documented for each CL untability of the companion of the	zepam meployment fesaver bed on DA I S bag? all Combined in Signaturial coordings authorized in a te	ay be ats and ags re Form 4 bat Lift de of 6 t to the d) on	issued with initial and must be removed eplaced within 90 alone and potency esaver bags? each Combat e packing list? hand or properly ature controlled			
X	FICATION POC Signatur	re, Name	e, Ran	k, Date			

30 th Medical Brigade				DATE OF INSPECT	ION				
FUNCTIONAL AREA/SUBORDIN	COMMAND INSPECTION CHECKLIST IONAL AREA/SUBORDINATE AREA: CAL LAB/BLOOD MANAGEMENT RATING 1 OCTOBER 20								
CLINICAL LAB/BLOOD MANAG	JEMEN I	1011111		1 OCTOBER 2004	±	l OF			
INSPECTION OFFICE/AGENCY	UNI	ΙΤ	INS	PECTOR'S NAME &	PHO	ONE	NUMB		
CLINICAL OPERATIONS									
I	ГЕМ				YES	NO	NA		
TASK: Maintain clinical laboratory	y and blood	managem	ent 1	Programs.					
CONDITIONS : Given the mission laboratory and blood management program	of establish	ing and n	nainta	aining clinical					
STANDARD: IAW the below cited	references								
1. REFERENCES:									
a. AR 40-3, Medical, Dental and	d Veterinary	Care, 12	Nove	mber 2002					
b. AR 40-5, Preventive Medicin	e, 15 Octobe	er 1999							
c. AR 200-1, Army Environmen	tal and Enha	ncement	, 21 F	ebruary 1997					
d. AR 385-10, Army Safety Prog	gram, 29 Fel	oruary 20	00						
e. ARTEP 8-705-MTP, Mission 25 November 2002	Training Pla	n for the	Comk	oat Support Hospital,					
f. FM 3-07, Stability Operations	s and Suppor	rt Operati	ions,	20 February 2003					
g. FM 8-55, Planning for Health	n Service Su	pport, 9 S	Septe	mber 1994					
2. PURPOSE: To assess the effect blood management program		he unit's	clinic	al laboratory and					
3. SPECIFIC QUESTIONS:									
a. Are the above references on	hand, on ord	der, or rea	adily	available?					
b. Are all manufactures users n	nanuals avai	lable?							
c. Is the CSOP/TSOP available	and contain	sections (on:						
Specimen Collection and Pr General Laboratory Procedu Quality Control and Quality Employee Safety Procedure Environmental Safety Proce Biohazard waste containme Blood Management	ares Assurance s edures	sal							

AETV-MB Form 1-201-R dated 1 October 2004A - 17

30 th Medical Brigade COMMAND INSPECTION				DATE OF INSPECT	ION		
FUNCTIONAL AREA/SUBORDIN				CHECKLIST EFF DA	ATE:	PAG	E
CLINICAL LAB/BLOOD MANA	GEMENT	RATIN	G	1 OCTOBER 2004	1 2	2 OF	2
INSPECTION OFFICE/AGENCY	UNI	T	INS	SPECTOR'S NAME &	PHO	ONE	NUME
CLINICAL OPERATIONS							
	ГЕМ				YES	NO	NA
d. A written, defined and appro addresses pre-analytical, analytical, and post-analytical phas	- 0	_		-			
e. Is there a Chemical Hygiene laboratory reagents and chemicals IAW AR 20							
f. Are current MSDS available f	or all chemi	cals, bio-c	chem	icals, and reagents?			
LABORATORY ADMINISTRATIV	E FUNCTIO	ONS					
a. Is a Laboratory Science Offic	er assigned	as the Ch	ief, I	Laboratory Services?			
b. Is a Pathologist or Qualified	Physician as	signed as	the l	Laboratory Director?			
c. Is there a program in place to qualified?	o ensure tha	t laborato	ry po	ersonnel are properly			
EDUCATION AND TRAINING (A	R 40-3):						
a. Is a formal training program personnel are trained appropriately for the laboratory tes	_		_	alified laboratory			
b. Is this training documented							
c. Are skills and competency as	sessments c	ompleted	and	documented			
d. Are laboratory training files (40-501)	current and	accessible	e? (P	ara 7-7(b), DA Pam			
NOTES:							
	ICATION						
X							

30 th Medical Brigade COMMAND INSPECTION		ST		DATE OF INSPECT	ION		$\overline{}$
FUNCTIONAL AREA/SUBORDIN	ATE AREA:			CHECKLIST EFF DA			
PHARMACY PROGRAM	1	RATIN	IG	1 OCTOBER 2004	4 1	1 OF	2
INSPECTION OFFICE/AGENCY	UNI	T	INS	SPECTOR'S NAME &	PHO	ONE	NUN.
CLINICAL OPERATIONS							
	ГЕМ				YES	NO	NA
TASK: Maintain Pharmacy Progr	am						
CONDITIONS : Given the mission of establishing and maintaining a pharmacy program							
STANDARD: IAW the below cited references							
1. REFERENCES:							
a. AR 25-400-2, The Army Reco				-			
b. AR 40-3, Medical, Dental ar	nd Veterinary	Care, 1	2 Nov	ember 2002			
c. AR 40-5, Preventive Medicin	ne, 15 Octob	er 1999					
d. AR 40-7, Use of Investigation Scheduled I Controlled Drug Substances, 4 Ja		nd Devic	es in 1	Humans and the use of			
e. AR 40-68, Clinical Quality M	lanagement,	26 Febr	uary 2	2004			
f. AR 40-61, Medical Logistics	Policies and	Procedu	ıres, İ	25 January 1995			
g. AR 190-51, Security of Uncl Nonsensitive), 30 September 1993	lassified Arm	y Propei	rty (Se	ensitive and			
h. AR 200-1, Army Environme	ntal and Enh	ancemer	nt, 21	February 1997			
i. AR 385-10, Army Safety Pro	gram, 29 Fel	oruary 20	000				
j. ARTEP 8-705-MTP, Mission November 2002	Training Pla	n for the	Com	bat Support Hospital, 2	25		
k. FM 3-07, Stability Operation	ns and Suppo	ort Oper	ations	s, 20 February 2003			
l. FM 8-55, Planning for Health Service Support, 9 September 1994							
2. PURPOSE: To assess the effe	ctiveness of	the unit's	s Phai	rmacy Program			
3. SPECIFIC QUESTIONS:							
a. Are the above references or	n hand, on or	der, or r	eadily	available?			

AETV-MB Form 1-201-R dated 1 October 2004A - 19

30 th Medical Brigade COMMAND INSPECTION				DATE OF INSPECT	ION		
FUNCTIONAL AREA/SUBORDIN	ATE:	PAG	E				
PHARMACY PROGRAM		RATIN	G	1 OCTOBER 200	4 2	2 OF	2
INSPECTION OFFICE/AGENCY	UNI	T	INS	SPECTOR'S NAME &	PHO	ONE	NUMB
CLINICAL OPERATIONS							
	ГЕМ				YES	NO	NA
b. Is the CSOP/TSOP available a	nd contain s	sections o	n:				
Pharmacy Security (6505 D Controlled Substances to in Logistic Procedures Prepare and Provide Medic Quality Control and Quality Employee Safety Procedure Environmental Safety Proce Biohazard waste containment c. A written, defined and approved. Is there a Chemical Hygiene pharmacy reagents and chemicals in	actions Assurance es edures ent and disponed red quality co	osal ontrol pro		•			
e. Are current MSDS available			chen	nicals, and reagents?			
PHARMACY ADMINISTRATIVE a. Does the assigned Pharmacis			d) ha	ave a license?			
b. Is a list of personnel authoriz	ed to write	prescripti	ions	kept on hand?			
c. Does the above list identify t for select medications?	hose person	inel who a	are o	nly authorized to write			
EDUCATION AND TRAINING (A	R 40-3):						
a. Is a formal training program personnel are trained appropriately							
b. Is this training documented							
c. Are skills and competency as	sessments c	ompleted	and	documented			
d. Are pharmacy training files o	eurrent and a	accessible)				
NOTES:							
	X	IFICATIO					
	Unit x	POC Sign	natu	re, Name, Rank, Date			
		ector"s S	igna	ture. Name. Rank.			

Pate-MB Form 1-201-R dated 1 October 2004A - 20

	30 th Medical Brigade COMMAND INSPECTIO		ST		DATE OF INSPECTI	ON			
	FUNCTIONAL AREA/SUBORDIN	1	31		CHECKLIST EFF DA	TE:	PAG	E	
TR	AINING OF ORGANIC MEDICAL	PERSONNE	LRATIN	G	1 OCTOBER 2004	. 1	OF	2	
	INSPECTION OFFICE/AGENCY	UNI	T	INS	 SPECTOR'S NAME &	PHO)NE	NUI	ИВІ
	CLINICAL								
	OPERATIONS I'	ГЕМ	•			YES	NO	NA	
	TASK: Maintain Unit Medical Tr	aining Progr	am						•
	CONDITIONS : Given the mission medical training program	on of establis	hing and	main	taining a unit				
	STANDARD: IAW the below cite	d references							
	1. REFERENCES:								
	a. AR 40-68 Clinical Quality M	anagement,	26 Febru	ary 2	004				
	b. USAREUR Regulation 350-	1, Training i	n USARE	EUR, 1	15 may 2003				
	c. USAREUR Regulation 350- September 2003	40-1, Medica	l Proficie	ency T	Fraining, 9				
	d. FM 4-02, Force Health Pro-	tection in a C	Global En	viron	ment, 13 February				
	e. FM 7-0, Training the Force	, 22 October	2002						
	f. FM 7-1, Battle Focused Train	ining, 23 Sep	tember 2	2003					
	g. FM 8-10-5, Brigade and Div	vision Surgeo	ons' Han	dbook	x, 10 June 1991				
	h. FM 22-51 Leader's Manual	for Combat S	Stress Co	ntrol	, 29 Sep 94.				
	i. Training Circular 8-800, Ser (SACMS-VT)	mi-annual Co	ombat Mo	edic S	kills Validation Test				
	2. PURPOSE : To assess the efference program	ectiveness of	the unit'	s med	lical training				
	3. SPECIFIC QUESTIONS:								
	a. Are the above references o	n hand, on or	der, or r	eadily	y available?				
	b. Does the unit have a system organic medical units or collective tasks for assigned m			on Es	sential Tasks for its				
	c. Does the command have a straining of all medical personnel?	system to mo	nitor an	d eval	uate low density				
	d. Does the command have a for its medical Apersonal arm 1-201-R dated 1 Oct	_		edical	Proficiency Training				

30 th Medical Brigade COMMAND INSPECTION	PAM 1-201 N CHECKLIST		DATE OF INSPECT	ION		
FUNCTIONAL AREA/SUBORDIN	ATE AREA:	'	CHECKLIST EFF D	ATE:	PAG	E
INING OF ORGANIC MEDICAL	PERSONNELRATI	NG	1 OCTOBER 200	4 7	2 OF	2
INSPECTION OFFICE/AGENCY	UNIT	INS	SPECTOR'S NAME &	k PHO	ONE	NU
CLINICAL OPERATIONS				_		
	ГЕМ			YES	NO	N
NOTES:						
	VERIFICAT	ION				
	X					
	Unit POC S		re, Name, Rank, Date			
			 ture, Name, Rank,			
Date						
				1	I	

30 th Medical Brigade COMMAND INSPECTIO				DATE OF INSPECT	ION			
FUNCTIONAL AREA/SUBORDIN	NCTIONAL AREA/SUBORDINATE AREA: EARING CONSERVATION PROGRAM CHECKLIST EFF DATE: PAGE 1 OCTOBER 2004 1 OF							
HEARING CONSERVATION PI	ROGRAM	KAIIN	G	1 OCTOBER 200	4 1	l OF	2	
INSPECTION OFFICE/AGENCY	UNI	ΙΤ	INS	SPECTOR'S NAME &	PHO	NUM	IBI	
CLINICAL OPERATIONS						Г		
	ГЕМ				YES	NO	NA	
TASK: Maintain Hearing Conser	vation Progr	am						
CONDITIONS : Given the mission hearing conservation program	on of establis	hing and	main	taining a unit				
STANDARD : IAW the below cite	STANDARD: IAW the below cited references							
1. REFERENCES:								
a. DA Pam 40-501, Hearing C	a. DA Pam 40-501, Hearing Conservation							
b. AR 40-5, Preventive Medic	ine							
2. PURPOSE : To assess the effer Program	ectiveness of	the unit	's Hea	aring Conservation				
3. SPECIFIC QUESTIONS:								
a. Are the above references o	n hand, on o	rder, or 1	eadily	available?				
b. Does the unit have a hearing orders to oversee the unit programmer.								
c. Does the unit maintain a lo program? (Para 5-16b(9)(g)(2), A		iling the	heari	ng conservation				
d. Do soldiers receive (at leas noise and the proper use and car (g)(2), AR 40-5)								
e. Do all soldiers working or e approved protection devices in th								
f. Is the mandatory use of hea or working in noise hazardous ar								
g. Is an inventory of all noise maintained? (Para 5-16(8)(c), AR		perations	s and o	equipment				
h. Are approved pre-formed e 6-3a, DA Pam 40-501)	arplugs fitte	d and iss	ued to	o all soldiers? (Para				
i. Are annual audiometric eva month?	luations perf	formed fo	or all s	soldiers by birth				
j. Are hearing protection devi	ces (earplug	s, and ea	rmuff	s) being maintained				
Aby the unit? (Para 5-13 Para d be	llober 2604 8-	<u> ၁</u> 23						

30 th Medical Brigade COMMAND INSPECTION		ST		DATE OF INSPECT	ION		
FUNCTIONAL AREA/SUBORDIN HEARING CONSERVATION PR	ATE AREA:	RATIN	IG	CHECKLIST EFF D. 1 OCTOBER 200		PAG 2 OF	
INSPECTION OFFICE/AGENCY CLINICAL	UNI	T	INS	PECTOR'S NAME &			
OPERATIONS IT	ΓEM				YES	NO	NA
k. Is noise hazardous equipment 13, Para c-2, AR 40-5) l. Are caution signs posted at exhazardous areas? (Para 5-13, Para m. Does the hearing conservation retainability? n. Is DDForm 2215 complete ar Pam 40-501) NOTES:	nt posted with ye level at th 7d (1a), AR 4 on officer an	e entran 10-5) d or NC	ces to O have	or periphery of noise e at least one year		IVO	INA
Date	X Unit X		natur	e, Name, Rank, Date ure, Name, Rank,			

	30 th Medical Brigade		ST		DATE OF INSPECT	ION			
	FUNCTIONAL AREA/SUBORDIN	ATE AREA:		IC.				E	
Н	EALTH PHYSICS RADIATION PR	OTECTION	KAIIN	NG	1 OCTOBER 2004	4 1	l OF		
	INSPECTION OFFICE/AGENCY	UNI	T	INS	SPECTOR'S NAME &	PHO	ONE	NUM	Bl
	CLINICAL OPERATIONS								
		ГЕМ				YES	NO	NA	
	TASK: Maintain a Health Physics	s Radiation P	rotectio	n Pro	gram.				
	ray, medical,		ning and	l main	taining a unit' field x-				
	veterinary, and or dental training	program						DF IE NUMI	
	STANDARD : IAW the below cite 1. REFERENCES :	d references							
	Control				· ·				
	of Diagnostic, Therapeutic, and M 1 February 2002	ledical Resea	arch X-R	ay Sys	stems and Facilities,				
	b. AR 40-14 There is no AR 4 Nuclear/chemical Accidents and Incidents	0-14, but the	re is a 4	0-13,	Medical Support -				
	c. AR 11-9, The Army Radiation	on Safety Pro	gram, 2	8 May	7 1999				
	Procedures	, and the second			· ·				
	e. FM 7-0, Training the Force,	, 22 October	2002						
	f. FM 7-1, Battle Focused Trai	CHECKLIST EFF DATE: PAGE ON PROTECTION SENCY UNIT INSPECTOR'S NAME & PHONE NUMBE THEM Physics Radiation Protection Program. Insisted a second and maintaining a unit' field x-raining program Insisted references attional and Environmental Health Management and characteristic and Medical Research X-Ray Systems and Facilities, and Medical Research X-Ray Systems and Facilities, and AR 40-14, but there is a 40-13, Medical Support - Radiation Safety Program, 28 May 1999 Sonnel Dosimetry Guidance and Dose Recording ally Exposed to Ionizing Radiation, 30-June 1995 The Force, 22 October 2002 Seed Training, 23 September 2003 Seed Training, 23 September 2003 Seed Training, 23 September 2003 Seed Training, 24 September 2003 Seed Training, 25 September 2003 Seed Training, 26 September 2003 Seed Training, 27 September 2003 Seed Training, 28 September 2003 Seed Training, 29 September 2003 Seed Training, 20 September 2003 Se							
	g. FM 8-10-5, Brigade and Div	vision Surgeo	ns' Han	dbook	x, 10 June 1991				
	h. Training Circular 8-800, Se (SACMS-VT)	emi-annual Co	ombat M	ledic S	Skills Validation Test				
	2. PURPOSE: To provides proce quality assurance and the use of diagnostic X-Ray equip		e mainte	enance	e, evaluation, X-Ray				
	3. SPECIFIC QUESTIONS:								
	Are the above references on ha	and, on orde	r, or read	dily av	vailable?				
	RADIATION PROTECTION								
	assigned in writing?								
•	AETV-MB Form 1-201-R dated 1 Oc	, , , ,	,			•			

	30 th Medical Brigade PAM 1-201 DATE OF INS COMMAND INSPECTION CHECKLIST			DATE OF INSPECT	ECTION				
	FUNCTIONAL AREA/SUBORDIN	1			CHECKLIST EFF DA	ATE:	PAG	E	•
Η	EALTH PHYSICS RADIATION PR	OTECTION	RATIN	IG	1 OCTOBER 2004	4 2	2 OF	X	
	INSPECTION OFFICE/AGENCY	UNI	T	INS	 PECTOR'S NAME &	PHO	ONE	NUI	ИВІ
	CLINICAL								
	OPERATIONS								
	e. Does the SOP address person	red desimet	ry rodio	graph	io guality accurance	YES	NO	NA	
	who is authorized to order X-Rays, training, and radiation be added?			-					
	f. Are protective shielding device stored when not in		J	shields	s) available, properly			OF X	
	use, and inspected annually? (TB N	MED 521, 5-1	1c)						
	g. Do all X-Ray rooms have ade	quate protec	tive shie	lding	for both the operator				
	and personnel in adjacent unrestricted areas? (If not 13(8)d.	t, explain in I	REMARI	KS sec	tion) (TB MED 521, 4-				
	h. Are all X-Ray rooms' interloc least once every 6 months? (If not, explain in REMAR)		-		· ·				
	i. Are "Caution X-Rays" warning (Exception: Diagnostic X-	g signs in app	propriat	e lang	uages posted?				
	Ray facilities where such signs may provided that entrance to the radiation area is strictly controlled	ie			ion to patients				
	j. Are "Warning to Pregnant Pat Ray rooms? (TB MED 521, 4-17a)	tient" signs p	osted in	X-Ray	y waiting areas and X-				
	k. Base camp configurations plate to create an			round	the X-ray Department	;			
	exclusion area and shield. (TB ME	D 521, /-5(b))1						
	 Base camp x-ray area uses en or structure and 	gineer tape a	around t	he ou	tside of an X-ray Tent				
	places signs on the tape stating the MED 521, 7-5(b)2.	at X-Ray proc	edures a	are be	ing performed. (TB				
	m. If field X-Ray is operational, reduce exposures. (TB MED 521, 7-5(b)3.	an exclusion	area of	3-5me	eters is utilized to				
	PERSONNEL DOSIMETRY								
	a. Is there a dosimetry record of 5a(9)) What is the		ignated	in wr	iting? (AR 40-14, 2-				
	name and what is the date of appoi	ntment?							
	b. Is the RPO reviewing the Aut			eport	(ADR) on a guarterly				
	AETV-Masis?m(PABAM dated 1 Oc	tober 200 4 -	- 26						

30 th Medical Brigade PAM 1-201 COMMAND INSPECTION CHECKLIST				DATE OF INSPECTION						
FUNCTIONAL AREA/SUBORDIN HEALTH PHYSICS RADIATION PR	ATE AREA:		īG							
INSPECTION OFFICE/AGENCY	UNI	T	INS	SPECTOR'S NAME &	PHO	ONE	NUM	BI		
CLINICAL OPERATIONS					1	1				
I	ГЕМ				YES	NO	NA			
g. Are ADRs being maintained on file? Where?										
h. Are the Thermoluminescent Dosimeters (TLD) located conveniently close to, but outside of, the radiation area with the control dosimeter? (DA PAM 40-18, 3-4e) i. Is the TLD storage location approved in writing by the RPO? (DA PAM 40-										
i. Is the TLD storage location at 18, 3-4e)	CHECKLIST EFF DATE: PAGE 1 OCTOBER 2004 3 OF X UNIT INSPECTOR'S NAME & PHONE NUMBER TEM YES NO NA on file? Where? Dosimeters (TLD) located conveniently close simeter? (DA PAM 40-18, 3-4e) pproved in writing by the RPO? (DA PAM 40- nal identification? (DA PAM 40-18, 3-4d) obstruction and properly worn? (DA PAM 40- TROL ge data plotted daily and reviewed weekly for and detailed film processing procedures be documented and cleaning scheduled at least ined and reviewed weekly by a supervisor? (TB proper safe-light conditions and is the room ngs using X-Ray film screens that are "Fast usity less than 0.2? (TB MED 521, 6-4c) putinely and checked for light-leaks and film- prior to the expiration date (plus six months)									
j. Are TLDs labeled with person	nal identificat	tion? (D.	A PAM	1 40-18, 3-4d)						
k. Are TLD "windows" free of o 18, 3-4b)	bstruction ar	nd prope	rly wo	orn? (DA PAM 40-						
RADIOGRAPHIC QUALITY CON	TROL									
a. Is sensitometry or step wedg trends and corrective action? (TB MED 521, 6-2)	e data plotte	d daily a	ind re	viewed weekly for						
b. Are daily processor checks a posted? (TB MED 521, 6-3)	AREA/SUBORDINATE AREA: CS RADIATION PROTECTION OFFICE/AGENCY ITEM See being maintained on file? Where? Thermoluminescent Dosimeters (TLD) located conveniently close outside of, the with the control dosimeter? (DA PAM 40-18, 3-4e) D storage location approved in writing by the RPO? (DA PAM 40-18, 3-4d) "windows" free of obstruction and properly worn? (DA PAM 40-18) "windows" free of obstruction and properly worn? (DA PAM 40-18) "windows" free of obstruction and properly worn? (DA PAM 40-18) "windows" free of obstruction and properly worn? (DA PAM 40-18) "windows" free of obstruction and properly worn? (DA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (TA PAM 40-18) "windows" free of obstruction and properly worn? (DA PAM 40-18) "windows" free of obstruction and properly worn? (DA PAM 40-18) "windows" free of obstruction and properly worn? (DA PAM 40-18) "windows" free of obstruction and properly worn? (DA PAM 40-18) "windows" free of obstruction and properly worn?									
c. Is the processor maintenance quarterly? (TB MED 521, 6-4d)										
d. Is a retake log being maintai MED 521, 6-7a)		d. Is a retake log being maintained and reviewed weekly by a supervisor? (TB MED 521, 6-7a)								
e. Is the dark room tested for p free of light leaks? (TB MED 521, 6-6)	roper safe-liq	ght cond	itions	and is the room						
f. Are technologist in field setti: Speed and "Rare Earth". (TB MED 521 7-5a(2).	ngs using X-I	Ray film	screei	ns that are "Fast						
g. Is the base + fog optical den	sity less thar	n 0.2? (T	В МЕ	D 521, 6-4c)						
h. Are film cassettes cleaned ro screen contact at least quarterly? (TB MED 521, 6-5a)	outinely and o	checked	for lig	ht-leaks and film-						
i. Is the X-Ray film being used pon the box? (TB MED 521, 6-5)	orior to the e	xpiratior	n date	(plus six months)						
AETV-MB Form 1-201-R dated 1 Oc	tober 2004	- 27			_					

30 th Medical Brigade COMMAND INSPECTION		ST		DATE OF INSPECT	IION		
FUNCTIONAL AREA/SUBORDIN ALTH PHYSICS RADIATION PR		RATIN	G	CHECKLIST EFF D 1 OCTOBER 200		PAG 3 OF	
INSPECTION OFFICE/AGENCY CLINICAL	UNI	Т	INS	SPECTOR'S NAME (x PHO	ONE	NU
OPERATIONS IT	ГЕМ				YES	NO	N
m. Have all X-Ray technologist, completed the required Specialist Course (91P/E) n. Are student X-Ray technologicall times? (TB MED 521, 1-6) o. Is training on radiation prote being conducted and documented at least annually? (TB 40-18, 2-7c) p. Field Medical/Dental X-Ray to should spend a minimum of 2 weeks every 6 months perform medical/dental treatment facility. (TB MED 521, 7-5a) q. Hospital medical and dental and every 6 months training on field X-Ray equipment. (TB MED 521)	performing or equivaler ists supervis ection and the MED 521, 1 echnologists hing X-Ray pr	ed by a que biologic -6), AR 4 assigned rocedures	MED sualifical ef	521, 1-6) ied technologist at fects of radiation , 2-5a(5), DA PAM leployable units n active			
FIELDCOMMANDERS WAIVERS	6						
Waivers are exceptions to policie exposure to personnel or a decrease in image quinformation on x-ray films	J						
Note: Waivers will be limited to si patient outweigh the risks to the patients and other personnel time lengths; and availability of assistance. Prior to a dvice from the medical group RPO.	l; issues for s	specific s	ituati	ons that have fixed			
NOTES:							
					1	ı	ı